

No.: GZMR231103195901

Date: Nov 07, 2023

Page: 1 of 6



CUSTOMER NAME: Anhui Wanjiang New Materials Co., Ltd.

ADDRESS: Bowu Avenue north of 105 National Highway 100 meters east road,

Bozhou Wuhu modern Industrial Park, Bozhou City, Anhui province.

Sample Name : Heat shrink tube

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : SHIN2310008030PL01

Date of Receipt : Nov 01, 2023
Testing Start Date : Nov 01, 2023
Testing End Date : Nov 07, 2023

Test result(s) : For further details, please refer to the following page(s)

(Unless otherwise stated the results shown in this test report refer only

to the sample(s) tested)

Signed for SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Kelly Lee

Authorized signatory





No.: GZMR231103195901

Date: Nov 07, 2023

Page: 2 of 6

### Summary of Results:


No.	Test Item	Test Method	Result	Conclusion
1	Flame Test	UL 224-2021 Section 5.12	VW-1	1

Note: Pass: Meet the requirements;

Fail: Does not meet the requirements;

/ : Not Apply to the judgment.

### Original Sample Photo:





中国・广东・广州高新技术产业开发区科学城科珠路198号



No.: GZMR231103195901

Date: Nov 07, 2023

Page: 3 of 6

Test Item: VW-1 Flame Sample Description: Tube

Test Method: UL 224-2021 Section 5.12

**Test Condition:** 

Heat shrinkage condition: 200 °C, 3min

Specimen length: 660 mm Metal wire diameter: 0.74mm

Test Result:

Specimen	1			2				3							
Number of Flame application	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Flame time or															
glow time after	22.6	00.0				440	4.0				00.0				
each application	23.6	0	0	0	0	14.0	1.3	0	0	0	23.0	0	0	0	0
(s)															
Whether or not															
any specimen	No			No			No								
continues to															
flame or glow															
longer than 60															
seconds after															
any application															
Percentage of															
indicator flag					0			0							
burned away or	0			0			U								
charred (%)															



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-And-C

🗆 No. 1981, Keatru Road, Science City, Economic & Technology Development Area, Gazagatrou, Guargatrou, Guargatrou, Guine 🗆 Room 101, Building 3, No. 1501, Kaichuang Avenue, Huanggu Dishick, Guargatrou, Chine t (86-20) 8215555 www.sgsgroup.com.cn 中国・广东・广州市黄埔区开创大道1501号3栋101房 t(86-20) 8215555 sgs.china@sgs.com 中国・广东・广州高新技术产业开发区科学城科珠路198号



No.: GZMR231103195901

Date: Nov 07, 2023

Page: 4 of 6

Whether or not						
any specimen						
emits flaming or						
glowing particles	No	No	No			
or flaming drops						
at any time that						
ignite the cotton						
Judgment	a) Can't convey flame along its length.(See note 1)					
Judgillelit	b) Can't convey flame to combustible materials in its vicinity.(See note 2 and 3)					

#### Requirements of VW-1 classification:

- 1. Shall not flame or glow longer than 60 seconds following any of the five 15 seconds applications of the test flame, and
- 2. Shall not ignite combustible materials in its vicinity or damage more than 25 percent of the indicator flag during, between, or after the five applications of the test flame.

Classification: VW-1

#### Note:

- 1. Where any specimen shows more than 25 percent of the indicator flag burned away or charred (soot that can be removed with a cloth or the fingers and brown scorching shall be ignored) after any of the five applications of flame, the tubing shall be considered capable of conveying flame along its length.
- 2. Where any specimen emits flaming or glowing particles or flaming drops at any time that ignite the cotton on the burner, wedge, or floor of enclosure (flameless charring of the cotton shall be ignored), the tubing shall be considered capable of conveying flame to combustible materials in its vicinity.
- 3. Where any specimen continues to flame or glow longer than 60 seconds after any application of the gas flame, the tubing shall be considered capable of conveying flame to combustible materials in its vicinity.
- 4. Test specimens were cut from the sample.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents and the this property of the strength of th

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443 or email: CN.Doccheck@sgs.com

□ No.ISK Natur Read, Science City, Economic & Technology Development/New, Garaghou, Garaghou,



No.: GZMR231103195901


Date: Nov 07, 2023


Page: 5 of 6

Test Photo:



**During Test** 







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document os not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com

To Mick (Maching Associated Cartinating Designating Garaging Cartinating Associated Cartinating Designating Garaging Cartinating Designating Garaging Cartinating Associated Cartinating Associated Cartinating Associated Cartinating Associated Cartinating Cartinating Associated Cartinating Car 中国・广东・广州高新技术产业开发区科学城科珠路198号



No.: GZMR231103195901

Date: Nov 07, 2023

Page: 6 of 6

### **Equipment Information:**

Equipment	Model	Equipment No.	Calibration date	Next Calibration	
				date	
Horizontal/Vertical					
Flame Chamber for	ZLT-HV4	GZMR-PL-E286	2023-08-11	2024-08-10	
Wires,Cables and		GZIVIR-PL-E200	2023-00-11	2024-00-10	
Flexible Cords					

\*\*\*\*\*\* End of report\*\*\*\*\*\*



中国・广东・广州高新技术产业开发区科学城科珠路198号